

CERTIFICATE OF ANALYSIS

Prepared for:


 Prehemptive LLC (BBB)
 Marina del Rey, CA 90292

715 CLX

Batch ID or Lot Number: 115	Test: Microbial Contaminants	Reported: 28Mar2022	USDA License: N/A
Matrix: Finished Product	Test ID: T000199506	Started: 24Mar2022	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 24Mar2022	Status: N/A

Microbial

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


 Jackson Osaghae-Nosa
 28Mar2022
 08:40:00 AM MDT

PREPARED BY / DATE



 Brianne Maillot
 28Mar2022
 11:26:00 AM MDT

APPROVED BY / DATE


<https://results.botanacor.com/api/v1/coas/uuid/2c7bf815-945f-49f3-a690-7178a6ff3f16>
Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
 ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

2c7bf815945f49f3a6907178a6ff3f16.1